



BIKE SURF

(Personal Water Craft)

ASSEMBLY INSTRUCTIONS

Unboxing, assembly, warnings & precautions



GB: WARNING If you don't understand something please contact to Red Shark bikes.



ES: IMPORTANTE Si no entiende algo, por favor contacte con Red Shark Bikes.



F: IMPORTANT Si vous ne comprenez pas quelque chose, veuillez contacter Red Shark Bikes.



DE: ACHTUNG Wenn Sie etwas nicht verstehen, wenden Sie sich bitte an Red Shark Bikes.



I: IMPORTANTE se non capisci qualcosa, contatta Red Shark Bikes.



P: IMPORTANTE Se você não entender alguma coisa, entre em contato com a Red Shark Bikes.



RUS: ВАЖНО Если вы что-то не понимаете, пожалуйста, свяжитесь с Red Shark Bikes.



NL: BELANGRIJK als u iets niet begrijpt, neem dan contact op met Red Shark Bikes



S: VIKTIGT Om du inte förstår något, vänligen kontakta Red Shark Bikes.



JP: 重要なことがわからない場合は、RedShark Bikesにお問い合わせください。

Before anything, read user's manuals

of this water bike to ensure correct usage through understanding. After reading, store them in a safe place for future reference. Incorrect handling of this product could possibly result in personal injury or physical damage. The manufacturer assumes no responsibility for any damage caused by mishandling that is beyond normal usage defined in these manuals of this water bike



ADVENTURE model

FITNESS model

ENJOY model

ENJOY model



FITNESS model



ADVENTURE model



UNBOXING

1. Open the box at the top and carefully remove all parts from the box.



2. Remove all plastic bags.

WARNING: Plastic bags can be dangerous. To avoid any risk of suffocation, keep all bags out of the reach of all babies, children and pets. Do not use in cribs, beds, strollers, or playpens. Tear the bag before throwing it away.



3. Read the packing list (taped outside the box) and confirm all items


A photograph of a printed packing list document. The document is titled 'PACKING LIST' and includes a table with columns for 'ITEM', 'QUANTITY', 'DESCRIPTION', 'UNIT', and 'REMARKS'. The table lists various bicycle components and their quantities. At the bottom of the document, there is a warning: 'WARNING: Before using, read INSTRUCTIONS and MANUAL. (2018)'.

ITEM	QUANTITY	DESCRIPTION	UNIT	REMARKS
1	1	BIKE FRAME	PC	
2	1	BIKE FORK	PC	
3	1	BIKE WHEEL	PC	
4	1	BIKE WHEEL	PC	
5	1	BIKE WHEEL	PC	
6	1	BIKE WHEEL	PC	
7	1	BIKE WHEEL	PC	
8	1	BIKE WHEEL	PC	
9	1	BIKE WHEEL	PC	
10	1	BIKE WHEEL	PC	
11	1	BIKE WHEEL	PC	
12	1	BIKE WHEEL	PC	
13	1	BIKE WHEEL	PC	
14	1	BIKE WHEEL	PC	
15	1	BIKE WHEEL	PC	
16	1	BIKE WHEEL	PC	
17	1	BIKE WHEEL	PC	
18	1	BIKE WHEEL	PC	
19	1	BIKE WHEEL	PC	
20	1	BIKE WHEEL	PC	
21	1	BIKE WHEEL	PC	
22	1	BIKE WHEEL	PC	
23	1	BIKE WHEEL	PC	
24	1	BIKE WHEEL	PC	
25	1	BIKE WHEEL	PC	
26	1	BIKE WHEEL	PC	
27	1	BIKE WHEEL	PC	
28	1	BIKE WHEEL	PC	
29	1	BIKE WHEEL	PC	
30	1	BIKE WHEEL	PC	
31	1	BIKE WHEEL	PC	
32	1	BIKE WHEEL	PC	
33	1	BIKE WHEEL	PC	
34	1	BIKE WHEEL	PC	
35	1	BIKE WHEEL	PC	
36	1	BIKE WHEEL	PC	
37	1	BIKE WHEEL	PC	
38	1	BIKE WHEEL	PC	
39	1	BIKE WHEEL	PC	
40	1	BIKE WHEEL	PC	
41	1	BIKE WHEEL	PC	
42	1	BIKE WHEEL	PC	
43	1	BIKE WHEEL	PC	
44	1	BIKE WHEEL	PC	
45	1	BIKE WHEEL	PC	
46	1	BIKE WHEEL	PC	
47	1	BIKE WHEEL	PC	
48	1	BIKE WHEEL	PC	
49	1	BIKE WHEEL	PC	
50	1	BIKE WHEEL	PC	

ENJOY model



FITNESS model



ADVENTURE model



NUTS, screws and others

2



4



2



2




OPTIONAL:
For a permanent frame
assembly

10




2



4. BOARD assembly

4.1. Extend the board



4. BOARD assembly (Puff up /step 1 from 2)

4.2. Use the AIR PUMP to have only a LITTLE PRESSURE to get the basic shape.



Unscrew the cap. Check the position of the valve spout Press 1 time or 2 times Insert the air pump Puff up the air to 1 psi Remove the air pump



Puff up to:

0,5 psi (approx.)

board must be soft




KEEP ATTENTION:


The A & B Holes surface: must be completely clean from dust, sand and other dirty elements. If not it could damage on the board skin.

If you find air leakage on the valve, use the black tool (included on the repair kit tools) to tight or to disassemble the valve and check if is dirty and you can clean it .

5. FRAME assembly




5.1 CHOSE the frame piece "A":



5. FRAME assembly



 Board with soft air pressure **0,5 psi**




KEEP ATTENTION:

The **A & B** Holes surface, must be completely clean from dust, sand and other dirty elements. If not it could generate damages on the board skin. Please clean always before.

AVOID THE INTERFERENCES from the rudder and propeller with the board surface (holes A and B) if not it could generate damages on the board.

Suggestion: You can use a cloth rag to cover the rudder.

5.1 INSERT the frame "A" from the deck (TOP side)



RECOMMENDATION: Please use a small STOOL (not included).

6. HANDLEBAR assembly



6.2 TIGHT the 4 screws:

TORQUE SPECIFICATIONS:



6 Newtons



6. HANDLEBAR assembly: FITNESS model.

6.1 Insert the grips in the handlebar



ASSEMBLY INSTRUCTIONS

6. HANDLEBAR assembly: FITNESS model.

6.1 Insert the handlebar in the STEM



6.2 TIGHT the 4 screws:

TORQUE SPECIFICATIONS:





6 Newtons




7. RUDDER assembly

7.1 Insert the rudder BAR in to the frame




7.2. Pull the ruder post up to the screw



7. RUDDER assembly

7.3 Insert the rudder post to the STEM




7.4 Line up the handle bar with the rudder.



Enjoy & Adventure model



Fitness model



ALIGNMENT WITH THE RUDDER bar
With the white mark in the center of the stem.

7.5 Tight the 2 screws






TORQUE SPECIFICATIONS:

6 Newtons



7. RUDDER assembly

RUDDER FUNCTION



7.6 Unscrew wing nut




7.7 Chose the position

POSITIONS:

- T: transport
- I: level1
- II: Level 2
- III: Level 3



7.8 Screw wing nut



TIGHT the wing nut:


TORQUE SPECIFICATIONS:



3 Newtons



8. FRAME "B" assembly



8.1 CHOSE the frame piece "B":


8. FRAME "B" assembly

TRANSMISSION assembly:

8.2 Untight the 3 bolts





8.3 Unify the transmission with the frame



8. FRAME "B" assembly

Transmission LEVEL assembly:


8.4 Leave NO space between



8. FRAME "B" assembly



8.5 CHECK the transmission DIRECTION assembly:




8. FRAME "B" assembly

8.6 Transmission ALIGNMENT:



Align with the white central marked line

From TOP side



8. FRAME "B" assembly

8.7 Transmission screws TIGHTEN:

TIGHT the 3 bolts:



TORQUE SPECIFICATIONS:

6 Newtons



Tighten all the 3 screws



8.8. Bolt & Locknut

Please use a tool 13 (NOT INCLUDED)




8. FRAME "B" assembly

8.9 INSERT the frame in the REAR HOLE with a little air pressure in the board



Board with soft air pressure **0,5 psi**




KEEP ATTENTION:

The A & B Holes surface, must be completely clean from dust, sand and other dirty elements. If not it could generate damages on the board skin. Please clean always before.

AVOID THE INTERFERENCES from the rudder and propeller with the board surface (holes A and B) if not it could generate damages on the board.




Suggestion: You can use a cloth rag to cover the rudder.

RECOMMENDATION:
Please use a small STOOL
(not included).




9. FRAME "C" assembly

9.1 CHOSE the frame piece "C":




9. FRAME "C" assembly

9.2 INSERT the frame "C" in to the frame "A" & "B".



9. FRAME "C" REAR unión assembly

9.3 TIGHT the screw through the two frames with the clamp using the LONGER Allen key (NOT INCLUDED)



9. FRAME assembly (REAR union)


9.4 TIGHT the bolt STRONGLY

ATTENTION! TIGHT the Bolt: **FULL POWER**




TORQUE SPECIFICATIONS:

20 Newtons



9. FRAME "C" FRONT unión assembly

9.3 TIGHT the screw through the two frames with the clamp using the LONGER Allen key (NOT INCLUDED)



9. FRAME assembly (front union)

9.4 TIGHT the bolt STRONGLY

ATTENTION! TIGHT the Bolt: **FULL POWER**



TORQUE SPECIFICATIONS:

20 Newtons




9. FRAME "C" REAR unión assembly

9.3 TIGHT the screw through to the 5 holes

10 screws



2 plates




RIGHT side



Repeat on the LEFT side



10. FRAME & BOARD (position)

10.1 Confirm the frame position: Must be in a vertical position (90° towards the board)



10. FRAME & BOARD

10.2. PUFF UP the FINAL AIR PRESSURE



Pressure:


✓ **12 PSI** (warm countries)

✓ **13-14 PSI** (cold countries)



10.3. Screw the cap onto the valve



10. STRAPS assembly



10.3 Put the chassis upright and tighten the belt. Must be in a vertical position (90° towards the board)



11. SADDLE assembly

11.1 Untight the bolt, adjust the seat to your position and tight the bolt.



11.2 SADDLE position adjustment (horizontal)




TORQUE SPECIFICATIONS:

7 Newtons



11. SADDLE assembly in the frame C

11.3 Open and adjust seat Post CLAMP position



11.4 Check your height



11.5 TIGHT the post clamp




11.6. Check your position

Adjustment recommendations




12. How to fit CRANKS & transmission


12.4 Remove BOLT and WASHER



12. How to fit CRANKS & transmission



12.4 Insert the crank in to the transmisión axel




12. How to fit CRANKS & transmission


12.5 Screw the bolt with the washer in to the transmission axel



a. Insert the PEDAL crank



b. Insert the WASHER & BOLT



 **TORQUE SPECIFICATIONS:**
15 Newtons

IMPORTANT
Check regularly
before riding
Especially the first rides



ASSEMBLY INSTRUCTIONS

12. How to fit PEDALS


12.4 Insert the pedal in to the crank axel



IMPORTANT

Chek regularly before riding

LEFT pedal
tighten
DIRECTION



RIGTH pedal
tighten
DIRECTION




OPOSITE



Has a left hand thread

Turn anti-clockwise to tighten.



Has a normal thread
Turn clockwise to tighten.

That means you always tighten the same way the crank rotates when
www.funshop.at g when looking directly at the crank/pedal.

13. PROPELLER assembly

13.1 Remove carefully the plastic protection




13.2. Remove the bold and washer



13.3 Needle placement



13.4 PROPELLER placement



13.5 Tight the bolt and the washer




TORQUE SPECIFICATIONS:

4 Newtons




14. FIN assembly


14.1 Insert the fin in the board (bottom rear) slot until the end. Slide the fin onto the bottom side of the board until the end and cross the pin until you hear a click.



14.2 and cross the pin on the hole fin until you hear a click.



Click



TRANSPORT & manipulation


BE CAREFULL on the below elements



A. REMOVE the FIN

B. PROPELLER: in HORIZONTAL position


C. RUDDER: in "T" (HORIZONTAL position)



Keep the **PROPELLER** in **HORIZONTAL POSITION**

TRANSPORT & manipulation

NOTE: TROLLEY is extra equipment



Trolley BELT



OPTIONS




Most recommended


MOST recommended





16. BEFORE RIDING check




TO GET ON instructions

 Before start, **PRACTICE THIS ACTIONS** until you really know, Do it on a calm water with no wind. First moments are the most stressful ones,




WEAR LIFE JACKET

A. From the BEACH:



B. From the DEEP water:




C. SEAT on top of the deck



D. TRANSFER your body in to the center



E. And GO!




Pedal straight smoothly but decide until you find your body rhythm relaxed. When you have to turn, don't stop pedaling and do it smoothly

From a WHARF, boat or similar:

A. Always parallel & from the side

Grab the handlebar and do not transfer the weight of your body (from the 2° foot on firm ground) until you have the 1st foot in the center of the board.



PRACTICE THIS ACTION is dangerous, some additional support from the wharf it will help you to know how to do it.



PRACTICE THIS ACTION with helmet, column protector and wear LIFE JACKET



B. Balance centered and relax



For better balance, Keep YOUR BODY to the board center

C. Pedal straight smoothly but decide until you find your body rhythm relaxed. When you have to turn, don't stop pedaling and don't do it smoothly



IMPORTANT NOTE:

Do it on a calm water with no wind. First moments are the most stressful ones, so you should ride smooth. As soon as you feel stable please turn (left or right) very smoothly.

AFTER being used
Don't leave it in the water.



If you leave in the water, algae and crustaceans can be hooked, electrolysis may appear, birds droppings and leaf can dirty the parts. Longer sun exposure can damage the units.

RECOMMENDATION

Please us an small STOOL (not included).

Keep it upright position **ON THE SHORE** or **ON THE GARAGE**.

WARNINGS & PRECAUTIONS



PROHIBITION

PROIBIDO / PROHIBICIÓN / VERBOT. KIELTO / VERBOD / DIVIETI / INTERDICTION / ZAKAZ / TILTÁS / FÖRBUD.



DO NOT USE IN OFFSHORE WINDS



DO NOT USE IN ELECTRIC STORMS



DO NOT USE IN OFFSHORE CURRENTS



DO NOT USE IN SWIMMERS AREAS



DO NOT USE IN WAVES or CURRENTS AREAS



WARNING

ATENÇÃO / ADVERTENCIA. ACHTUNG / VAROITUS / WAARSCHUWING / AVVERTENZA / ATTENTION / OSTRZEZENIE / FIGYELMEZTETÉS / VARNIG




NO PROTECTION AGAINST DROWNING



AIR: 12 -14 psi

DESIGN WORKING AIR PRESSURE



WEAR Flexible elements and clothes that cannot be tangled



MANDATORY

OBRIGATÓRIO / OBLIGATOIRE / NUTZUNGSHINWEISE / PAKOLLINEN / VERPLICHT / OBBLIGATORIO / OBLIGATION / NORMA / KÖTELEZŐ / OBLIGATORISKT



FIRST READ MANUAL INSTRUCTIONS



SWIMMERS ONLY




WEAR LIFE JACKET




DEVICE REQUIRES BALANCING SKILLS




ONLY 1 PERSON



MINIMUM DEEP: 0,6m



MAXIMUM: 300m from the coast



UNDER 18 years old MUST

BE ACCOMPANIED capacity 110 kg BY AN ADULT



Max load

This product is a Personal Water Craft

and in France is under the "engins de plage (Division 240 - article 240-1.02)" category.



WARNING!

Training is required prior to use of this product.

You must understand and accept the risks involved before participating in the water bike riding.

Always wear an approved Personal Flotation Device

NEVER use the Red Shark to go further than you can swim, on your own power.

Do not reach into openings, rudder borders or rotating parts.

Like any other device, there is a chance of product failure, always ensure that such failure will not put you in danger

Never use under the influence of drugs narcotic substances or alcohol

Use only in calm and sheltered waters.

Children and minors under 18 years old, must be used only under adult supervision.

NEVER use the Red Shark near fishing threads, branches, seaweed, plastics, loose clothing or OTHER objects from getting into the propeller.

Always rinse or run in clean fresh water after use. Do not use harsh chemicals to clean any Red Shark products

When cleaning the propeller area, make sure some one is not turning the pedals Do not keep Red Shark products under direct sunlight or in a parked vehicle for extended period and always store from 10°C to below 22°C

It is forbidden to use the water bicycle to people who can not swim.

Never wear clothing that may become entangled with any protruding element of the bicycle, if it overturns and stays stuck under the water, you can drown. During the use, no one should touch, the propeller and the rudder (can cause injuries).

Do Not use in areas occupied by swimmers or divers.

NEVER use the Red Shark if you may feel dizzy or lose consciousness.

Avoid large tides or boat trails hitting your bike since this could tip your water bike.

If you have no experience or you are not very skilled on swimming , never go alone and go to water areas that are not deeper than your neck.

Do not use in strong currents, heavy swell or impaired visibility, waves or offshore wind.

Check all the screws regularly before to depart.

Read the user manual in full.



PRECAUTIONS:

Before leaving, always check that the weather forecast is appropriate for this activity.

FIRST TIME NOTES:

Do it on a calm water with no wind and with the comfort propeller. First moments are the most stressful ones, so you should ride smooth and constantly in a straight line. As soon as you feel stable please turn (left or right) very smoothly but with a constant pedalling.

You may have a feeling of having a very smooth roll, this is normal, but it is misleading, you will feel, after 30 minutes of pedalling fairly at a medium rate, the strength on your legs.”

Using a Red Shark Bikes products on the water can be dangerous and involves certain risks which often cannot be predicted or avoided. Those risks include, but are not limited to, personal injury or death, property damage, which may result from, loss of control, collisions with other users or watercraft, swimmers, and natural and man-made objects and/or animals/plants. By choosing to use a Red Shark Bikes product, you assume these risks and thereby need to know and practice water safety rules, responsible motoring, and proper use and maintenance of your Red Shark Bikes product(s) to reduce these risks. Since it is impossible to anticipate every situation or condition which can occur while some elements under in water, Red Shark Bikes can make no representation or warranty about the use and safety of Red Shark Bikes products under all conditions.

REGISTERING YOUR Personal Water Craft as a vessel:

Please the rules and in certain municipalities, states or countries, it is required that you register your water bikes, kayaks, SUPs, canoes, scooter surfs motorized, with your local licensing body. Please be sure to take the necessary steps to comply with local laws and regulations that apply to your water bike.